

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	1	"20020165876".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 15:21
S3	1	"6741724 ".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 15:27
S4	1	"6665422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:17
S5	499190	labview or (national adj2 instruments) or ni	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:17
S6	499190	labview or (national adj1 instruments) or ni	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:18
S7	213	labview and ((national adj1 instruments) or ni)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:32
S8	0	(national adj1 instruments).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:33
S9	315	(national adj1 instruments).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:44
S10	23	((optical or character or pattern or signal or image or facial or biometric) adj2 recognition) and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 16:54
S11	96	((optical or character or pattern or signal or image or facial or biometric) adj2 recognition) and labview	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:12

S12	10	S11 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:07
S13	22	((optical or character or pattern or signal or image or facial or biometric) adj2 recognition) and labview and (graphical adj2 programming)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:13
S14	0	"4901221.did"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:27
S15	0	"4901221.did."	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:27
S16	1	"4901221".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:28
S17	1	"4901221".pn. and (input or inputs or inputting or enter or enters or entering) and (graphics or graphic or graphical) and (flowchart or flowcharts or diagram or diagrams)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:30
S18	1	"4901221".pn. and (input or inputs or inputting or enter or enters or entering) and (graphics or graphic or graphical) and (flowchart or flowcharts or diagram or diagrams) and (code or codes or execute or executable)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/24 17:30
S19	1	(US-4901221-\$.did.	USPAT	OR	OFF	2005/08/29 09:35
S20	1	S19 and (file or database or files or store or stores or save or saves or filed)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 11:35
S21	1	S19 and (file or database or files or store or stores or save or saves or filed) and (highlight or mark or marked or marks or show or display or display or displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 11:37

S22	19	(US-20020165876-\$).did. or (US-4901221-\$ or US-4914568-\$ or US-5291587-\$ or US-5301301-\$ or US-5301336-\$ or US-5353233-\$ or US-5371851-\$ or US-5475851-\$ or US-5481740-\$ or US-5481741-\$ or US-5504917-\$ or US-5574639-\$ or US-5832468-\$ or US-5859964-\$ or US-5910905-\$ or US-6660042-\$ or US-6665422-\$ or US-6757428-\$). did.	US-PGPUB; USPAT	OR	OFF	2005/08/29 11:52
S23	9	S22 and (highlight or highlights or highlighting (high adj2 (light or lights or lighting)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 11:55
S24	9	S22 and (highlight or highlights or highlighting (high adj2 (light or lights or lighting)) or stepthrough or (step adj2 through))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 11:55
S25	1	(US-5353233-\$).did.	USPAT	OR	OFF	2005/08/29 12:59
S26	1	S25 and ((pattern or image or signal or text or character or digit or voice or face or facial) adj2 (identification or recognition))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 13:05
S27	1	S25 and ((pattern or image or signal or text or character or digit or voice or face or facial) adj2 (identification or recognition)) and labview	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 13:05
S28	1	"4992649".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 16:15
S29	1	"5031223".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 16:16
S30	1	"6665422".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 16:16
S31	3	("6665422").URPN.	USPAT	OR	OFF	2005/08/29 16:16
S32	3	("6665422").URPN.	USPAT	OR	OFF	2005/08/29 16:18

S33	5	("4992649" "5031223" "5311999" "5754671" "6239397").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 16:19
S34	3	("4632252" "4832204" "4845761").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 16:23
S35	4	("3271738" "3582884" "4068212").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/29 16:24
S36	58	("5031223").URPN.	USPAT	OR	OFF	2005/08/29 16:25
S37	36	aktiengesellschaft.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/08/29 16:46



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "((seidel)<in>metadata)"

☐ e-mail
Your search matched **641** of **1229994** documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

((seidel)<in>metadata)


☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

View: 1-25 | [26-5](#)

- ☐ 1. **Computation of three-dimensional rigid-body dynamics with multiple unil using time-stepping and Gauss-Seidel methods**
Tong Liu; Wang, M.Y.;
Automation Science and Engineering, IEEE Transactions on [see also Robotic Automation, IEEE Transactions on]
Volume 2, Issue 1, Jan. 2005 Page(s):19 - 31
Digital Object Identifier 10.1109/TASE.2004.840074
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(744 KB\)](#) IEEE JNL
- ☐ 2. **A parallel Gauss-Seidel algorithm for sparse power system matrices**
Koester, D.P.; Ranka, S.; Fox, G.C.;
Supercomputing '94. Proceedings
14-18 Nov. 1994 Page(s):184 - 193
Digital Object Identifier 10.1109/SUPERC.1994.344278
[AbstractPlus](#) | Full Text: [PDF\(732 KB\)](#) IEEE CNF
- ☐ 3. **A new matrix solution technique for general circuit simulation**
Burch, R.; Yang, P.; Cox, P.; Mayaram, K.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transaction:
Volume 12, Issue 2, Feb. 1993 Page(s):225 - 241
Digital Object Identifier 10.1109/43.205003
[AbstractPlus](#) | Full Text: [PDF\(1272 KB\)](#) IEEE JNL
- ☐ 4. **Fast 3-D edge element analysis by the geometric multigrid method using symmetric Gauss-Seidel smoother**
Spasov, V.; Noguchi, S.; Yamashita, H.;
Magnetics, IEEE Transactions on
Volume 39, Issue 3, Part 1, May 2003 Page(s):1685 - 1688
Digital Object Identifier 10.1109/TMAG.2003.810509
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(289 KB\)](#) IEEE JNL
- ☐ 5. **The Gauss-Seidel numerical procedure for Markov stochastic games**
Kushner, H.J.;
Automatic Control, IEEE Transactions on
Volume 49, Issue 10, Oct. 2004 Page(s):1779 - 1784
Digital Object Identifier 10.1109/TAC.2004.835402
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(184 KB\)](#) IEEE JNL

- ☐ 6. **PGS and PLUCGS-two new matrix solution techniques for general circuit**
Burch, R.; Mayaram, K.; Chern, J.-H.; Yang, P.; Cox, P.;
Computer-Aided Design, 1989. ICCAD-89. Digest of Technical Papers., 1989 I
Conference on
5-9 Nov. 1989 Page(s):408 - 411
Digital Object Identifier 10.1109/ICCAD.1989.76980
[AbstractPlus](#) | Full Text: [PDF\(444 KB\)](#) IEEE CNF

- ☐ 7. **An efficient task allocation algorithm and its use to parallelize irregular G algorithms**
Huang, G.; Ongsakul, W.;
Parallel Processing Symposium, 1994. Proceedings., Eighth International
26-29 April 1994 Page(s):497 - 501
Digital Object Identifier 10.1109/IPPS.1994.288257
[AbstractPlus](#) | Full Text: [PDF\(504 KB\)](#) IEEE CNF

- ☐ 8. **On convergence of the Horn and Schunck optical-flow estimation method**
Mitiche, A.; Mansouri, A.-R.;
Image Processing, IEEE Transactions on
Volume 13, Issue 6, June 2004 Page(s):848 - 852
Digital Object Identifier 10.1109/TIP.2004.827235
[AbstractPlus](#) | Full Text: [PDF\(160 KB\)](#) IEEE JNL

- ☐ 9. **Parallel computation of sequential pixel updates in statistical tomography**
Sauer, K.D.; Borman, S.; Bouman, C.A.;
Image Processing, 1995. Proceedings., International Conference on
Volume 2, 23-26 Oct. 1995 Page(s):93 - 96 vol.2
Digital Object Identifier 10.1109/ICIP.1995.537422
[AbstractPlus](#) | Full Text: [PDF\(352 KB\)](#) IEEE CNF

- ☐ 10. **Analysis of three algorithms for finding all consistent labelings**
Stanella, S.E.; Fu, L.-M.;
Systems, Man and Cybernetics, 1990. Conference Proceedings., IEEE Interna
on
4-7 Nov. 1990 Page(s):605 - 610
Digital Object Identifier 10.1109/ICSMC.1990.142184
[AbstractPlus](#) | Full Text: [PDF\(600 KB\)](#) IEEE CNF


- ☐ 11. **Low-Frequency Behavior of the Propagation Constant Along a Thin Wire Shaped Mine Tunnel**
Kuester, E.F.; Seidel, D.B.;
Microwave Theory and Techniques, IEEE Transactions on
Volume 27, Issue 8, Aug 1979 Page(s):736 - 741
[AbstractPlus](#) | Full Text: [PDF\(520 KB\)](#) IEEE JNL

- ☐ 12. **On the convergence of block relaxation methods for circuit simulation**
Desai, M.P.; Hajj, I.N.;
Circuits and Systems, IEEE Transactions on
Volume 36, Issue 7, July 1989 Page(s):948 - 958
Digital Object Identifier 10.1109/31.31330
[AbstractPlus](#) | Full Text: [PDF\(940 KB\)](#) IEEE JNL

- ☐ 13. **Coordinate descent iterations in fast affine projection algorithm**
Zakharov, Y.; Albu, F.;
Signal Processing Letters, IEEE
Volume 12, Issue 5, May 2005 Page(s):353 - 356
Digital Object Identifier 10.1109/LSP.2005.843765
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(192 KB\)](#) IEEE JNL

- ☐ 14. **The Gauss-Seidel fast affine projection algorithm**
Albu, F.; Kadlec, J.; Coleman, N.; Fagan, A.;
Signal Processing Systems, 2002. (SIPS '02). IEEE Workshop on
16-18 Oct. 2002 Page(s):109 - 114
[AbstractPlus](#) | Full Text: [PDF](#)(527 KB) IEEE CNF
- ☐ 15. **A pipelined-in-time parallel algorithm for transient stability analysis [pow**
La Scala, M.; Sbrizzai, R.; Torelli, F.;
Power Systems, IEEE Transactions on
Volume 6, Issue 2, May 1991 Page(s):715 - 722
Digital Object Identifier 10.1109/59.76717
[AbstractPlus](#) | Full Text: [PDF](#)(528 KB) IEEE JNL
- ☐ 16. **Managing the bottlenecks in parallel Gauss-Seidel type algorithms for po**
analysis
Huang, G.; Ongsakul, W.;
Power Systems, IEEE Transactions on
Volume 9, Issue 2, May 1994 Page(s):677 - 684
Digital Object Identifier 10.1109/59.317675
[AbstractPlus](#) | Full Text: [PDF](#)(924 KB) IEEE JNL
- ☐ 17. **A mixed solving procedure for ungauged 3D edge finite element analysis**
Cingoski, V.; Yamashita, H.;
Magnetics, IEEE Transactions on
Volume 31, Issue 3, May 1995 Page(s):1702 - 1705
Digital Object Identifier 10.1109/20.376362
[AbstractPlus](#) | Full Text: [PDF](#)(376 KB) IEEE JNL
- ☐ 18. **Improved Gauss-Seidel projection method for micromagnetics simulation**
Garcia-Cervera, C.J.; E, W.;
Magnetics, IEEE Transactions on
Volume 39, Issue 3, Part 2, May 2003 Page(s):1766 - 1770
Digital Object Identifier 10.1109/TMAG.2003.810610
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(716 KB) IEEE JNL
- ☐ 19. **Fast block exact Gauss-Seidel pseudo affine projection algorithm**
Albu, F.; Kwan, H.K.;
Electronics Letters
Volume 40, Issue 22, 28 Oct. 2004 Page(s):1451 - 1453
Digital Object Identifier 10.1049/el:20046320
[AbstractPlus](#) | Full Text: [PDF](#)(210 KB) IEE JNL
- ☐ 20. **Iterative multiuser detection with Gauss-Seidel soft detector as first stag**
asynchronous coded CDMA
Qin, Z.; Teh, K.C.;
Electronics Letters
Volume 36, Issue 23, 9 Nov. 2000 Page(s):1939 - 1940
Digital Object Identifier 10.1049/el:20001331
[AbstractPlus](#) | Full Text: [PDF](#)(204 KB) IEE JNL
- ☐ 21. **Speedup and synchronisation overhead analysis of Gauss-Seidel type al**
Sequent balance machine
Huang, G.; Ongsakul, W.;
Generation, Transmission and Distribution, IEE Proceedings-
Volume 141, Issue 5, Sept. 1994 Page(s):437 - 444
[AbstractPlus](#) | Full Text: [PDF](#)(660 KB) IEE JNL

- ☐ **22. Block partitioned Gauss-Seidel PEEC solver accelerated by QR-based co compression techniques**
Ruehli, A.; Gope, D.; Jandhyala, V.;
Electrical Performance of Electronic Packaging, 2004. IEEE 13th Topical Meet
2004 Page(s):325 - 328
Digital Object Identifier 10.1109/EPEP.2004.1407624
[AbstractPlus](#) | Full Text: [PDF](#)(610 KB) IEEE CNF
- ☐ **23. Weight-controlled nonlinear successive interference cancellation method systems**
Kai Yang; Madhukumar, A.S.; Chin, F.;
Vehicular Technology Conference, 2004. VTC 2004-Spring. 2004 IEEE 59th
Volume 3, 17-19 May 2004 Page(s):1747 - 1750 Vol.3
Digital Object Identifier 10.1109/VETECS.2004.1390555
[AbstractPlus](#) | Full Text: [PDF](#)(591 KB) IEEE CNF
- ☐ **24. Complexity reduction and regularization of a fast affine projection algorithm oversampled subband adaptive filters**
Chau, E.; Sheikhzadeh, H.; Brennan, R.L.;
Acoustics, Speech, and Signal Processing, 2004. Proceedings. (ICASSP '04).
International Conference on
Volume 5, 17-21 May 2004 Page(s):V - 109-12 vol.5
Digital Object Identifier 10.1109/ICASSP.2004.1327059
[AbstractPlus](#) | Full Text: [PDF](#)(315 KB) IEEE CNF
- ☐ **25. Combined echo and noise cancellation based on Gauss-Seidel pseudo algorithm**
Albu, F.; Kwan, H.K.;
Circuits and Systems, 2004. ISCAS '04. Proceedings of the 2004 International
Volume 3, 23-26 May 2004 Page(s):III - 505-8 Vol.3
Digital Object Identifier 10.1109/ISCAS.2004.1328794
[AbstractPlus](#) | Full Text: [PDF](#)(457 KB) IEEE CNF

 View: 1-25 | [26-5](#)

Indexed by

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2005 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(enghauser<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by

[Help](#) [Contact Us](#) [Privacy & Policy](#)

© Copyright 2005 IEEE –



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☐ The ACM Digital Library ☒ The Guide

seidel

SEARCH

THE GUIDE TO COMPUTING LITERATURE


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Term used **seidel**Found **2,229** of **880,485**Sort results
by

relevance

[Save results to a Binder](#)[Try an Advanced Search](#)Display
results

expanded form

[Search Tips](#)[Try this search in The Digital Library](#)☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [A distributed memory unstructured gauss-seidel algorithm for multigrid smoothers](#)

Mark F. Adams

November 2001 **Proceedings of the 2001 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available: pdf(1.08 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Gauss-Seidel is a popular multigrid smoother as it is provably optimal on structured grids and exhibits superior performance on unstructured grids. Gauss-Seidel is not used to our knowledge on distributed memory machines as it is not obvious how to parallelize it effectively. We, among others, have found that Krylov solvers preconditioned with Jacobi, block Jacobi or overlapped Schwarz are effective on unstructured problems. Gauss-Seidel does however have some attractive properties, namely: fast ...

Keywords: algebraic multigrid, parallel gauss-seidel, parallel graph algorithms, unstructured multigrid

2 [Session 7: linear algebra I: A parallel Gauss-Seidel algorithm for sparse power system matrices](#)

D. P. Koester, S. Ranka, G. C. Fox

November 1994 **Proceedings of the 1994 ACM/IEEE conference on Supercomputing**

Full text available: pdf(881.71 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)

We describe the implementation and performance of an efficient parallel Gauss-Seidel algorithm that has been developed for irregular, sparse matrices from electrical power systems applications. Although, Gauss-Seidel algorithms are inherently sequential, by performing specialized orderings on sparse matrices, it is possible to eliminate much of the data dependencies caused by precedence in the calculations. A two-part matrix ordering technique has been developed -- first to partition the matrix ...

3 [A parallel Gauss-Seidel algorithm for sparse power system matrices](#)

D. P. Koester, S. Ranka, G. C. Fox

December 1994 **Proceedings of the 1994 conference on Supercomputing**

Full text available: pdf(898.02 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We describe the implementation and performance of an efficient parallel Gauss-Seidel

algorithm that has been developed for irregular, sparse matrices from electrical power systems applications. Although, Gauss-Seidel algorithms are inherently sequential, by performing specialized orderings on sparse matrices, it is possible to eliminate much of the data dependencies caused by precedence in the calculations. A two-part matrix ordering technique has been developed—first to partition the ...

4 Parallel multigrid smoothing: polynomial versus Gauss--Seidel

Mark Adams, Marian Brezina, Jonathan Hu, Ray Tuminaro
July 2003 **Journal of Computational Physics**, Volume 188 Issue 2

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Gauss-Seidel is often the smoother of choice within multigrid applications. In the context of unstructured meshes, however, maintaining good parallel efficiency is difficult with multiplicative iterative methods such as Gauss-Seidel. This leads us to consider alternative smoothers. We discuss the computational advantages of polynomial smoothers within parallel multigrid algorithms for positive definite symmetric systems. Two particular polynomials are considered: Chebyshev and a multilevel speci ...

Keywords: Gauss-Seidel, multigrid, parallel computing, polynomial iteration, smoothers

5 Memory characteristics of iterative methods

Christian Weiß, Wolfgang Karl, Markus Kowarschik, Ulrich Rude
January 1999 **Proceedings of the 1999 ACM/IEEE conference on Supercomputing (CDROM)**

Full text available:  [pdf\(438.45 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

6 Computational geometry: a retrospective

Bernard Chazelle
May 1994 **Proceedings of the twenty-sixth annual ACM symposium on Theory of computing**

Full text available:  [pdf\(2.20 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

7 Voronoi diagrams—a survey of a fundamental geometric data structure

Franz Aurenhammer
September 1991 **ACM Computing Surveys (CSUR)**, Volume 23 Issue 3

Full text available:  [pdf\(5.18 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: cell complex, clustering, combinatorial complexity, convex hull, crystal structure, divide-and-conquer, geometric data structure, growth model, higher dimensional embedding, hyperplane arrangement, k-set, motion planning, neighbor searching, object modeling, plane-sweep, proximity, randomized insertion, spanning tree, triangulation

8 Polar forms for geometrically continuous spline curves of arbitrary degree

Hans-Peter Seidel
January 1993 **ACM Transactions on Graphics (TOG)**, Volume 12 Issue 1

Full text available:  [pdf\(1.49 MB\)](#) Additional Information: [full citation](#), [references](#), [index terms](#)

Keywords: β -spline, B-spline, Be'zier point, Blossom, connection matrix, control point, de Boor algorithm, geometric continuity, knot insertion, knot vector, osculating flat, polar form, spline control point, universal spline

9 Sparse Tiling for Stationary Iterative Methods

Michelle Mills Strout, Larry Carter, Jeanne Ferrante, Barbara Kreaseck

February 2004 **International Journal of High Performance Computing Applications**,

Volume 18 Issue 1

Additional Information: [full citation](#), [abstract](#), [references](#)


In modern computers, a program's data locality can affect performance significantly. This paper details *full sparse tiling*, a run-time reordering transformation that improves the data locality for stationary iterative methods such as Gauss-Seidel operating on sparse matrices. In scientific applications such as finite element analysis, these iterative methods dominate the execution time. Full sparse tiling chooses a permutation of the rows and columns of the sparse matrix, and then an o ...

Keywords: computer architecture, data locality, irregular grids, iterative algorithms, sparse matrix, static and dynamic analysis, tiling

10 A Schwarz splitting variant of cubic spline collocation methods for elliptic PDEs

E. N. Houstis, J. R. Rice, E. A. Vavalis

January 1989 **Proceedings of the third conference on Hypercube concurrent computers and applications - Volume 2**

Full text available:  [pdf\(660.19 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We consider the formulation of the Schwarz alternating method for a new class of elliptic cubic spline collocation discretization schemes. The convergence of the method is studied using Jacobi and Gauss-Seidel iterative methods for implementing the interaction among subdomains. The Schwarz Cubic Spline Collocation (SCSC) method is formulated for hypercube architectures and implemented on the NCUBE (128 processors) machine. The performance and convergence of the hypercube SCSC algorithm is s ...

11 Reliable computations and their applications (RCA): On considering an interval constraint solving algorithm as a free-steering nonlinear Gauss-Seidel procedure

Frédéric Goualard

March 2005 **Proceedings of the 2005 ACM symposium on Applied computing**

Full text available:  [pdf\(280.36 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

We show that a classical interval constraint propagation algorithm enforcing box consistency may be interpreted as a free-steering nonlinear Gauss-Seidel procedure. This suggests that the choice of a transversal in the incidence matrix associated with the problem to solve is paramount to the efficiency of the algorithm. We present experimental evidences that it is indeed so, and we suggest an heuristics to compute good transversals. The improved interval constraint algorithm is compared with a c ...

Keywords: branch-and-prune method, constraint, nonlinear system

12 An accelerated Gauss--Seidel method for inverse modeling

T. M. Ng, B. Farhang-Boroujeny, H. K. Garg

March 2003 **Signal Processing**, Volume 83 Issue 3

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Inverse modeling is an application for adaptive filters that has found extensive use in many engineering disciplines. In this paper, we consider the problem of finding reverse models in the area of channel equalization, and adaptive control systems. First, the problem is formulated in a general setting as a standard least squares problem. With this, the inverse model can be found using any one of the many well established least squares methods. One such method is the classical Gauss-Seidel metho ...

Keywords: Gauss-Seidel method, SOR method, adaptive control system, channel equalizer, linear acceleration

13 [Parallel triangular decompositions of an oil refining simulation](#)

Xiaodong Zhang

August 1993 **Proceedings of the 7th international conference on Supercomputing**

Full text available:  [pdf\(856.77 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

One important process in oil refining is to separate the crude oil into various oil products. This process is called distillation. In designing a complex distillation column, a large computer simulation is conducted. This paper presents our experience with parallelizing an oil refining simulation application that computes the composition of the various oil products in designed refining columns operated under a given set of conditions. Mathematical models for the simulation ...

14 [Virtual path bandwidth allocation in multiuser networks](#)

Aurel A. Lazar, Ariel Orda, Dimitrios E. Pendarakis

December 1997 **IEEE/ACM Transactions on Networking (TON)**, Volume 5 Issue 6


Full text available:  [pdf\(324.16 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: Nash equilibrium, bandwidth allocation, distributed algorithms, game theory, network control, virtual path

15 [Programming languages and object technologies: On optimal temporal locality of stencil codes](#)

Claudia Leopold

March 2002 **Proceedings of the 2002 ACM symposium on Applied computing**

Full text available:  [pdf\(433.74 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

Iterative solvers such as the Jacobi and Gauss-Seidel relaxation methods are important, but time-consuming building blocks of many scientific and engineering applications. The performance problems are largely due to cache misses, and can be reduced by tiling the codes. Whereas previous research has shown the usefulness of tiling by experimentally comparing the run times of tiled and original codes, it did not tackle the question as to whether further improvements are possible. In this paper, we ...

Keywords: data locality, lower bounds, relaxation methods, tiling

16 [Image-based reconstruction of spatial appearance and geometric detail](#)

Hendrik P. A. Lensch, Jan Kautz, Michael Goesele, Wolfgang Heidrich, Hans-Peter Seidel
April 2003 **ACM Transactions on Graphics (TOG)**, Volume 22 Issue 2

Full text available:  [pdf\(302.22 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


Real-world objects are usually composed of a number of different materials that often show subtle changes even within a single material. Photorealistic rendering of such objects requires accurate measurements of the reflection properties of each material, as well as the spatially varying effects. We present an image-based measuring method that robustly detects the different materials of real objects and fits an average bidirectional reflectance distribution function (BRDF) to each of them. In or ...

Keywords: BRDF measurement, normal map acquisition, photometric stereo, shape from shading, spatially varying BRDFs

17 Modeling and animating hands & bodies: Construction and animation of anatomically based human hand models

Irene Albrecht, Jörg Haber, Hans-Peter Seidel

July 2003 **Proceedings of the 2003 ACM SIGGRAPH/Eurographics symposium on Computer animation SCA '03**

Full text available:  [pdf\(7.55 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The human hand is a masterpiece of mechanical complexity, able to perform fine motor manipulations and powerful work alike. Designing an animatable human hand model that features the abilities of the archetype created by Nature requires a great deal of anatomical detail to be modeled. In this paper, we present a human hand model with underlying anatomical structure. Animation of the hand model is controlled by muscle contraction values. We employ a physically based hybrid muscle model to convert ...

18 Interactive global illumination: Interactive global illumination using selective photon tracing

Kirill Dmitriev, Stefan Brabec, Karol Myszkowski, Hans-Peter Seidel

July 2002 **Proceedings of the 13th Eurographics workshop on Rendering EGRW '02**

Full text available:  [pdf\(6.89 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

We present a method for interactive global illumination computation which is embedded in the framework of Quasi-Monte Carlo photon tracing and density estimation techniques. The method exploits temporal coherence of illumination by tracing photons selectively to the scene regions that require illumination update. Such regions are identified with a high probability by a small number of the pilot photons. Based on the pilot photons which require updating, the remaining photons with similar paths i ...

19 Shading and shaders: Efficient rendering of spatial bi-directional reflectance distribution functions

David K. McAllister, Anselmo Lastra, Wolfgang Heidrich

September 2002 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on Graphics hardware**

Full text available:  [pdf\(2.80 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


We propose texture maps that contain at each texel all the parameters of a Lafortune representation BRDF as a compact, but quite general surface appearance representation. We describe a method for rendering such surfaces rapidly on current graphics hardware and demonstrate the method with real, measured surfaces and hand-painted surfaces. We also propose a method of rendering such spatial bi-directional reflectance distribution functions using prefiltered environment maps. Only one set of maps is ...

Keywords: graphics hardware, reflectance & shading models, rendering hardware, texture mapping

20 A comparison of numerical techniques in Markov modeling

William J. Stewart

February 1978 **Communications of the ACM**, Volume 21 Issue 2

Full text available:  pdf(931.28 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents several numerical methods which may be used to obtain the stationary probability vectors of Markovian models. An example of a nearly decomposable system is considered, and the results obtained by the different methods examined. A post mortem reveals why standard techniques often fail to yield the correct results. Finally, a means of estimating the error inherent in the decomposition of certain models is presented.

Keywords: Markov models, near-decomposability, numerical techniques, simultaneous iteration

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)Search: ☐ The ACM Digital Library ☒ The Guide

enghauser

SEARCH

Nothing Found

Your search for **enghauser** did not return any results.

You may want to try an [Advanced Search](#) for additional options.

Please review the [Quick Tips](#) below or for more information see the [Search Tips](#).

Quick Tips

- Enter your search terms in lower case with a space between the terms.

sales offices

You can also enter a full question or concept in plain language.

Where are the sales offices?

- Capitalize proper nouns to search for specific people, places, or products.

John Colter, Netscape Navigator

- Enclose a phrase in double quotes to search for that exact phrase.

"museum of natural history" "museum of modern art"

- Narrow your searches by using a **+** if a search term must appear on a page.

museum +art

- Exclude pages by using a **-** if a search term must not appear on a page.

museum -Paris

Combine these techniques to create a specific search query. The better your description of the information you want, the more relevant your results will be.

museum +"natural history" dinosaur -Chicago

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)